Journal of Applied Microbiology

Edited by

A. F. Godfree

Volume 98, 2005

Copyright © 2005 by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

Print ISSN 1364-5072
Online ISSN 1365-2672

Published by
Blackwell Publishing Ltd
OXFORD BOSTON MELBOURNE BERLIN
COPENHAGEN TOKYO AMES

Contents

Volume 98, Issue 1, January 2005

1 Author Guidelines

7 A REVIEW: Bacteriophage penetration in vertebrates *K. Dabrowska, K. Switala-Jelen, A. Opolski, B. Weber-Dabrowska & A. Gorski*

14 Succinate production and citrate catabolism by Cheddar cheese nonstarter lactobacilli *E.G. Dudley & J.L. Steele*

24 A natural variant of *Bacillus licheniformis* α-amylase isolated from flour mill wastewaters sheds light on the origin of high thermostability *M. Shahhoseini, A.-A. Ziaee, A.-A. Pourbabai, N. Ghaemi & N. Declerck*

33 *In vitro* and *in situ* growth characteristics and behaviour of spoilage organisms associated with anaerobically stored cooked meat products *L. Vermeiren, F. Devlieghere, V. De Graef & J. Debevere*

43 Phenylacetic acid-producing *Rhizoctonia solani* represses the biosynthesis of nematicidal compounds *in vitro* and influences biocontrol of *Meloidogyne incognita* in tomato by *Pseudomonas fluorescens* strain CHA0 and its GM derivatives *I.A. Siddiqui & S.S. Shaukat*

56 Lyophilized preparations of bacteriocinogenic *Lactobacillus curvatus* and *Lactococcus lactis* subsp. *lactis* as potential protective adjuncts to control *Listeria monocytogenes* in dry-fermented sausages *N. Benkerroum, A. Daoudi, T. Hamraoui, H. Ghalfi, C. Thiry, M. Duroy, P. Evrart, D. Roblain & P. Thonart*

64 Analysis of promoter sequences from *Lactobacillus helveticus* CNRZ32 and their activity in other lactic acid bacteria *Y.-S. Chen & J.L. Steele*

73 Biotechnology applied to cultural heritage: biorestoration of frescoes using viable bacterial cells and enzymes *G. Ranalli, G. Alfano, C. Belli, G. Lustrato, M.P. Colombini, I. Bonaduce, E. Zanardini, P. Abbruscato, F. Cappitelli & C. Sorlini*

84 Cell wall modifications during osmotic stress in *Lactobacillus casei M. Piuri, C. Sanchez-Rivas & S.M. Ruzal*

96 Characterization of micro-organisms isolated from dairy industry after cleaning and fogging disinfection with alkyl amine and peracetic acid *E. Bore & S. Langsrud*

106 Vacuum packing: a model system for laboratory-scale silage fermentations *H.E. Johnson, R.J. Merry, D.R. Davies, D.B. Kell, M.K. Theodorou & G.W. Griffith*

114 Production of H_2 by sulphur-deprived cells of the unicellular cyanobacteria *Gloeocapsa alpicola* and *Synechocystis* sp. PCC 6803 during dark incubation with methane or at various extracellular pH *T.K. Antal & P. Lindblad*

121 ATP requirements for benzoic acid tolerance in *Zygosaccharomyces bailii J.S. Leyva & J.M. Peinado*

127 Development of food-grade cloning and expression vectors for *Lactococcus lactis C.-Q. Liu, P. Su, N. Khunajakr, Y.-M. Deng, S. Sumual, W.S. Kim, J.E. Tandianus & N.W. Dunn*

136 Molecular and technological approaches to evaluate strain biodiversity in *Hanseniaspora uvarum* of wine origin *A. Capece, C. Fiore, A. Maraz & P. Romano*

145 Characterization of antifungal metabolite produced by a new strain *Pseudomonas aeruginosa* PUPa3 that exhibits broad-spectrum antifungal activity and biofertilizing traits *R. Sunish Kumar, N. Ayyadurai, P. Pandiaraja, A.V. Reddy, Y. Venkateswarlu, O. Prakash & N. Sakthivel*

155 Disinfection of feline calicivirus (a surrogate for Norovirus) in wastewaters *J.A. Tree, M.R. Adams & D.N. Lees*

163 Micro-organisms and dust exposure in an Italian grain mill *C. Dacarro, P. Grisoli, G. Del Frate, S. Villani, E. Grignani & D. Cottica*

172 Growth inhibition of *Listeria monocytogenes* by a nonbacteriocinogenic *Carnobacterium piscicola L. Nilsson, T.B. Hansen, P. Garrido, C. Buchrieser, P. Glaser, S. Knochel, L. Gram & A. Gravesen*

184 Resistance of corynebacterial strains to infection and lysis by corynephage BFK 20 *N. Halgašová, T. Majtán, J. Ugorčáková, J. Timko & G. Bukovská*

193 Solute-specific effects of osmotic stress on *Staphylococcus aureus C.M. Stewart, M.B. Cole, J.D. Legan, L. Slade & D.W. Schaffner*

203 Survival of viruses on fresh produce, using MS2 as a surrogate for norovirus *D.J. Dawson, A. Paish, L.M. Staffell, I.J. Seymour & H. Appleton*

210 GroEL-GroES solubilizes abundantly expressed xylulokinase in *Escherichia coli S. Bu, P.W.K. Tsang & R.Z. Fu*

216 Molecular characterization, technological properties and safety aspects of enterococci from 'Hussuwa', an African fermented sorghum product *N.M.K. Yousif, P. Dawyndt, H. Abriouel, A. Wijaya, U. Schillinger, M. Vancanneyt, J. Swings, H.A. Dirar, W.H. Holzapfel & C.M.A.P. Franz*

229 Characterization of an acid phosphatase from *Lactobacillus pentosus*: regulation and biochemical properties *M.C. Palacios, M. Haros, C.M. Rosell & Y. Sanz*

238 Protozoan grazing and its impact upon population dynamics in biofilm communities *S.A. Huws, A.J. McBain & P. Gilbert*

245 Assessment of resistance to colicinogenic *Escherichia coli* by *E. coli* O157:H7 strains *G.P. Schamberger & F. Diez-Gonzalez*

Volume 98, Issue 2, February 2005

253 Editorial *A. Godfree*

254 Inactivation of *Staphylococcus aureus* in raw milk cheese by combinations of high-pressure treatments and bacteriocin-producing lactic acid bacteria *J.L. Arqués, E. Rodríguez, P. Gaya, M. Medina, B. Guamis & M. Nuñez*

261 Identification of genes and proteins induced during the lag and early exponential phase of lager brewing yeasts *J. Brejning, N. Arneborg & L. Jespersen*

272 Growth and exopolysaccharide production during free and immobilized cell chemostat culture of *Lactobacillus rhamnosus* RW-9595M *D. Bergmaier, C.P. Champagne & C. Lacroix*

285 Importance of S-layer proteins in probiotic activity of *Lactobacillus acidophilus* M92 *J. Frece, B. Kos, I.K. Svetec, Z. Zgaga, V. Mrša & J. Šušković*

293 Aerial release of bacteria from cot mattress materials and the sudden infant death syndrome *R.E. Sherburn & R.O. Jenkins*

299 Analysis of the expression of some stress induced genes in several commercial wine yeast strains at the beginning of vinification *A. Zuzuarregui, P. Carrasco, A. Palacios, A. Julien & M. del Olmo*

308 Environmental inactivation of *Cryptosporidium oocysts* in catchment soils *C.M. Davies, N. Altavilla, M. Krogh, C.M. Ferguson, D.A. Deere & N.J. Ashbolt*

318 Novel mutation method for increased cellulase production *P. Chand, A. Aruna, A.M. Maqsood & L.V. Rao*

324 Production of alternatives to fuel oil from organic waste by the alkane-producing bacterium, *Vibrio furnissii* M1 *M.-O. Park, K. Heguri, K. Hirata & K. Miyamoto*

332 Characterization of a new tyrosinase from *Pycnoporus* species with high potential for food technological applications *S. Halaouli, Mi. Asther, K. Kruus, L. Guo, M. Hamdi, J.-C. Sigoillot, M. Asther & A. Lomascolo*

344 Diversity of *Staphylococcus aureus* enterotoxin types within single samples of raw milk and raw milk products *S. Loncarevic, H.J. Jørgensen, A. Løvseth, T. Mathisen & L.M. Rørvik*

351 Relationship between physiochemical properties, aggregation and u.v. inactivation of isolated indigenous spores in water *H. Mamane-Gravetz & K.G. Linden*

364 Characterization of *Staphylococcus aureus* mutants expressing reduced susceptibility to common house-cleaners *A.O. Davis, J.O. O'Leary, A. Muthaiyan, M.J. I ·ngevin, A. Delgado, A.T. Abalos, A.R. Fajardo, J. Marek, B.J. Wilkinson & J.E. Gustafson*

373 Legionella waterline colonization: detection of *Legionella* species in domestic, hotel and hospital hot water systems *E. Leoni, G. De Luca, P.P. Legnani, R. Sacchetti, S. Stampi & F. Zanetti*

380 Land application of treated sewage sludge: quantifying pathogen risks from consumption of crops *P. Gale*

397 Estimation of bioaerosol risk of infection to residents adjacent to a land applied biosolids site using an empirically derived transport model *J.P. Brooks, B.D. Tanner, C.P. Gerba, C.N. Haas & I.L. Pepper*

406 Generating microbial survival curves during thermal processing in real time *M. Peleg, M.D. Normand & M.G. Corradini*

418 High level expression of a recombinant acid phytase gene in *Pichia pastoris A.-S. Xiong, Q.-H. Yao, R.-H. Peng, P.-L. Han, Z.-M. Cheng & Y. Li*

429 Myxobacteria isolated in Israel as potential source of new anti-infectives *F. Gaspari, Y. Paitan, M. Mainini, D. Losi, E.Z. Ron & F. Marinelli*

440 Comparison of the microbial population dynamics and phylogenetic characterization of a CANOXIS reactor and a UASB reactor degrading trichloroethene *O. Tresse, F. Mounien, M.-J. Lévesque & S. Guiot*

450 Evaluation of six commercial identification kits for the identification of *Staphylococcus aureus* isolated from bovine mastitis *M. Zschöck, A. Nesseler & I. Sudarwanto*

456 Production and characterization of a new bioemulsifier from Pseudomonas putida ML2 *M. Bonilla, C. Olivaro, M. Corona, A. Vazquez & M. Soubes*

464 Effect of supplementing corn- or barley-based feedlot diets with canola oil on faecal shedding of *Escherichia coli* O157:H7 by steers *S.J. Bach, L.J. Selinger, K. Stanford & T.A. McAllister*

476 Link between spatial structure of microbial communities and degradation of a complex mixture of volatile organic compounds in peat biofilters *N. Khammar, L. Malhautier, V. Degrange, R. Lensi, J.-J. Godon & J.-L. Fanlo*

491 Oxidant and SDS-stable alkaline protease from a halo-tolerant *Bacillus clausii* I-52: enhanced production and simple purification *H.-S. Joo & C.-S. Chang*

498 Destruction and injury of *Escherichia coli* during microwave heating under vacuum *P. Yaghmaee & T.D. Durance*

507 The effects of the presence of stored product pests on the microfauna of a flour community *A. Yezerski, G. Cussatt, D. Glick & M. Evancho*

516 Comparison of bacteriophage and enteric virus removal in pilot scale activated sludge plants *A. Arraj, J. Bohatier, H. Laveran & O. Traore*

525 Flocculation onset in *Saccharomyces cerevisiae*: the role of nutrients *S. Sampermans, J. Mortier & E.V. Soares*

Volume 98, Issue 3, March 2005

533 Antimicrobial activity of chlorhexidine diacetate and benzalkonium chloride against *Pseudomonas aeruginosa* and its response to biocide residues *L. Thomas, A.D. Russell & J.-Y. Maillard*

544 Molecular typing of epidemic and nonepidemic *Vibrio cholerae* isolates and differentiation of *V. cholerae* and *V. mimicus* isolates by PCR–single-strand conformation polymorphism analysis *F.J. Reen & E.F. Boyd*

556 Farm disinfectants select for cyclohexane resistance, a marker of multiple antibiotic resistance, in *Escherichia coli* *L.P. Randall, C.S. Clouting, K.O. Gradel, F.A. Clifton-Hadley, R.D. Davies & M.J. Woodward*

564 Effect of the growth promoter avilamycin on emergence and persistence of antimicrobial resistance in enteric bacteria in the pig *A.A. Delsol, L. Randall, S. Cooles, M.J. Woodward, J. Sunderland & J.M. Roe*

572 Characterization of new O3:K6 strains and phylogenetically related strains of *Vibrio parahaemolyticus* isolated in Taiwan and other countries *H.-C. Wong, C.-H. Chen, Y.-J. Chung, S.-H. Liu, T.-K. Wang, C.-L. Lee, C.-S. Chiou, M. Nishibuchi & B.-K. Lee*

581 Effect of environmental and physiological factors on the antibacterial activity of *Curvularia* haloperoxidase system against *Escherichia coli* *E.H. Hansen, T. Schäfer, S. Molin & L. Gram*

589 Combined use of an immunomagnetic separation method and immunoblotting for the enumeration and isolation of *Escherichia coli* O157 in wastewaters *C. García-Aljaro, X. Bonjoch & A.R. Blanch*

598 Metal ions modulate gene expression and accumulation of the mycotoxins aflatoxin and zearalenone *R. Cuero & T. Ouellet*

606 Analysis of factors that influence the sensitivity of spores of *Bacillus subtilis* to DNA damaging chemicals *D.E. Cortezzo & P. Setlow*

618 The effect of thermal treatments on the viability and infectivity of *Cryptosporidium parvum* on beef surfaces *E.M. Moriarty, G. Duffy, J.M. McEvoy, S. Caccio, J.J. Sheridan, D. McDowell & I.S. Blair*

624 Development and characterization of a simple perfused oral microcosm *A.J. McBain, C. Sissons, R.G. Ledder, P.K. Sreenivasan, W. De Vizio & P. Gilbert*

635 The *bphC* gene-encoded 2,3-dihydroxybiphenyl-1,2-dioxygenase is involved in complete degradation of dibenzofuran by the biphenyl-degrading bacterium *Ralstonia* sp. SBUG 290 *J. Wesche, E. Hammer, D. Becher, G. Burchhardt & F. Schauer*

646 Concentration and prevalence of *Escherichia coli* O157 in sheep faeces at pasture in Scotland *I.D. Ogden, M. MacRae & N.J.C. Strachan*

652 Effect of nitrogen limitation and nature of the feed upon *Oenococcus oeni* metabolism and extracellular protein production *F. Remize, Y. Augagneur, M. Guilloux-Benatier & J. Guzzo*

662 Antibacterial activity of lactic acid bacteria included in inoculants for silage and in silages treated with these inoculants *N. Gollop, V. Zakin & Z.G. Weinberg*

667 Production of antimicrobial substances by *Bacillus subtilis* LFE-1, *B. firmus* H_2O-1 and *B. licheniformis* T6-5 isolated from an oil reservoir in Brazil *E. Korenblum, I. von der Weid, A.L.S. Santos, A.S. Rosado, G.V. Sebastián, C.M.L.M. Coutinho, F.C.M. Magalhães, M.M. de Paiva & L. Seldin*

676 A versatile system for the expression of nonmodified bacteriocins in *Escherichia coli* *A.B. Ingham, K.W. Sproat, M.L.V. Tizard & R.J. Moore*

684 Ochratoxin A producing *Penicillium verrucosum* isolates from cereals reveal large AFLP fingerprinting variability *J.C. Frisvad, F. Lund & S. Elmholt*

693 Regulation of CO_2 on heterocyst differentiation and nitrate uptake in the cyanobacterium *Anabaena* sp. PCC 7120 *R.-J. Kang, D.-J. Shi, W. Cong, Z.-L. Cai & F. Ouyang*

699 The diversity of *Escherichia coli* serotypes and biotypes in cattle faeces *K.A. Bettelheim, A. Kuzevski, R.A. Gilbert, D.O. Krause & C.S. McSweeney*

710 Development of a semi-nested PCR based method for sensitive detection of tumorigenic *Agrobacterium* in soil *J. Pulawska & P. Sobiczewski*

722 Microbial content of commercial South African high-moisture dried fruits *R.C. Witthuhn, S. Engelbrecht, E. Joubert & T.J. Britz*

727 Identification of *Meiothermus* as the dominant genus in a storage system for spent nuclear fuel *P. Masurat, E.C. Fru & K. Pedersen*

741 Studies of steam decontamination of beef inoculated with *Escherichia coli* O157:H7 and its effect on subsequent storage *C.M. Logue, J.J. Sheridan & D. Harrington*

752 Microbiological, biochemical and sensory assessment of mussels (*Mytilus galloprovincialis*) stored under modified atmosphere packaging *A.E. Goulas, I. Chouliara, E. Nessi, M.G. Kontominas & I.N. Savvaidis*

761 Development of an asporogenic *Bacillus licheniformis* for the production of keratinase *J.-J. Wang, W.B. Greenhut & J.C.H. Shih*

768 Occurrence of *Helicobacter pylori* DNA in the coastal environment of southern Italy (Straits of Messina) *M. Carbone, T.L. Maugeri, C. Gugliandolo, E. La Camera, C. Biondo & M.T. Fera*

775 Effect of the pH of growth on the survival of *Lactobacillus delbrueckii* subsp. *bulgaricus* to stress conditions during spray-drying *J. Silva, A.S. Carvalho, R. Ferreira, R. Vitorino, F. Amado, P. Domingues, P. Teixeira & P.A. Gibbs*

783 Genetic characterization of the yeast *Pichia anomala* (strain K), an antagonist of postharvest diseases of apple *D. Friel, M. Vandenbol & M.H. Jijakli*

Volume 98, Issue 4, April 2005

789 A REVIEW: Tempe fermentation, innovation and functionality: update into the third millenium *M.J.R. Nout & J.L. Kiers*

806 Maltose utilization in *Enterococcus faecalis* *Y. Le Breton, V. Pichereau, N. Sauvageot, Y. Auffray & A. Rincé*

814 Survival of *E. coli* O157:H7 in organic wastes destined for land application *L.M. Avery, K. Killham & D.L. Jones*

823 Improvement of bioinsecticides production through adaptation of *Bacillus thuringiensis* cells to heat treatment and NaCl addition *D. Ghribi, N. Zouari & S. Jaoua*

832 Cloning and characterization of aspartate-β-semialdehyde dehydrogenase from *Mycobacterium tuberculosis* H37 Rv *S. Shafiani, P. Sharma, R.M. Vohra & R. Tewari*

839 *Aspergillus carbonarius* growth and ochratoxin A production on a synthetic grape medium in relation to environmental factors *N. Bellí, A.J. Ramos, I. Coronas, V. Sanchis & S. Marín*

845 Biopesticide effect of green compost against fusarium wilt on melon plants *M. Ros, M.T. Hernandez, C. Garcia, A. Bernal & J.A. Pascual*

855 A β-glucosidase gene isolated from wine *Lactobacillus plantarum* is regulated by abiotic stresses *G. Spano, A. Rinaldi, M. Ugliano, L. Moio, L. Beneduce & S. Massa*

862 The effect of sulphur dioxide and oxygen on the viability and culturability of a strain of *Acetobacter pasteurianus* and a strain of *Brettanomyces bruxellensis* isolated from wine *W.J. du Toit, I.S. Pretorius & A. Lonvaud-Funel*

872 Chitosan inactivates spoilage yeasts but enhances survival of *Escherichia coli* O157:H7 in apple juice *G. Kiskó, R. Sharp & S. Roller*

881 Purification, amino acid sequence and characterization of Bacthuricin F4, a new bacteriocin produced by *Bacillus thuringiensis* *F. Kamoun, H. Mejdoub, H. Aouissaoui, J. Reinbolt, A. Hammami & S. Jaoua*

889 Detection of *Helicobacter pylori* DNA in human faeces and water with different levels of faecal pollution in the north-east of Spain *N. Queralt, R. Bartolomé & R. Araujo*

896 Excision vs sponge swabbing – a comparison of methods for the microbiological sampling of beef, pork and lamb carcasses *R.A. Pearce & D.J. Bolton*

901 Response of the microbial community to copper oxychloride in acidic sandy loam soil *K.R. Du Plessis, A. Botha, L. Joubert, R. Bester, W.J. Conradie & G.M. Wolfaardt*

910 Evidence of septic system failure determined by a bacterial biochemical fingerprinting method *W. Ahmed, R. Neller & M. Katouli*

921 Dissemination of transferable CTX-M-type extended-spectrum β-lactamase-producing *Escherichia coli* in Korea *S.H. Jeong, I.K. Bae, S.B. Kwon, J.H. Lee, J.S. Song, H.I. Jung, K.H. Sung, S.J. Jang & S.H. Lee*

928 Highly diverse variable number tandem repeat loci in the *E. coli* O157:H7 and O55:H7 genomes for high-resolution molecular typing *C. Keys, S. Kemper & P. Keim*

941 Effects of a biocontrol agent and methyl jasmonate on postharvest diseases of peach fruit and the possible mechanisms involved *H.J. Yao & S.P. Tian*

951 mRNA detection by reverse transcription–PCR for monitoring viability and potential virulence in a pathogenic strain of *Vibrio parahaemolyticus* in viable but nonculturable state *F. Coutard, M. Pommepuy, S. Loaec & D. Hervio-Heath*

962 Improving the specificity of 16S rDNA-based polymerase chain reaction for detecting *Borrelia burgdorferi* sensu lato-causative agents of human Lyme disease *T.L. Cyr, M.C. Jenkins, R.D. Hall, E.J. Masters & G.A. McDonald*

971 Combined application of methods to taxonomic identification of *Saccharomyces* strains in fermenting botrytized grape must *Z. Antunovics, L. Irinyi & M. Sipiczki*

980 The occurrence of *Campylobacter* subtypes in environmental reservoirs and potential transmission routes *M.L. Devane, C. Nicol, A. Ball, J.D. Klena, P. Scholes, J.A. Hudson, M.G. Baker, B.J. Gilpin, N. Garrett & M.G. Savill*

991 Berry phenolics selectively inhibit the growth of intestinal pathogens *R. Puupponen-Pimiä, L. Nohynek, S. Hartmann-Schmidlin, M. Kähkönen, M. Heinonen, K. Määttä-Riihinen & K.-M. Oksman-Caldentey*

1001 Detection of lactococcal 936-species bacteriophages in whey by magnetic capture hybridization PCR targeting a variable region of receptor-binding protein genes *K. Dupont, F.K. Vogensen & J. Josephsen*

Volume 98, Issue 5, May 2005

1011 A REVIEW: Haemolysins in *Vibrio* species *X.-H. Zhang & B. Austin*

1020 The simultaneous detection of both enteroviruses and adenoviruses in environmental water samples including tap water with an integrated cell culture–multiplex-nested PCR procedure *S.-H. Lee, C. Lee, K.W. Lee, H.B. Cho & S.-J. Kim*

1030 Isolation and characterization of a bio-agent antagonistic to diatom, *Stephanodiscus hantzschii* *Y.-H. Kang, J.-D. Kim, B.-H. Kim, D.-S. Kong & M.-S. Han*

1039 Lethal effect of the gliding arc discharges on *Erwinia* spp. *M. Moreau, M.G.J. Feuilloley, N. Orange & J.-L. Brisset*

1047 Evaluation of *Mycoplasma hyopneumoniae* growth by flow cytometry *P. Assunção, R. Diaz, J. Comas, C.M. Ruiz de Galarreta, O.R. González-Llamazares & J.B. Poveda*

1055 Yeasts associated to Malbec grape berries from Mendoza, Argentina *M. Combina, L. Mercado, P. Borgo, A. Elia, V. Jofré, A. Ganga, C. Martinez & C. Catania*

1062 Microbial indices of soil fertility *C. Suzuki, T. Kunito, T. Aono, C.-T. Liu & H. Oyaizu*

1075 Persistence of *Escherichia coli* O157 on farm surfaces under different environmental conditions *A.P. Williams, L.M. Avery, K. Killham & D.L. Jones*

1084 Levels of common antigens in determining pathogenicity of *Curvularia eragrostidis* in different tea varieties *S. Dasgupta, D. Saha & A. Saha*

1093 Biodegradation of polyethylene by the thermophilic bacterium *Brevibacillus borstelensis* *D. Hadad, S. Geresh & A. Sivan*

1101 Multicolour digital image analysis system for identification of bacteria and concurrent assessment of their respiratory activity *M. Ogawa, K. Tani, A. Ochiai, N. Yamaguchi & M. Nasu*

1107 PCR-fingerprinting and RAPD approaches for tracing the source of yeast contamination in a carbonated orange juice production chain *C. Pina, P. Teixeiró, P. Leite, M. Villa, C. Belloch & L. Brito*

1115 Optimization of cholesterol removal, growth and fermentation patterns of *Lactobacillus acidophilus* ATCC 4962 in the presence of mannitol, fructo-oligosaccharide and inulin: a response surface methodology approach *M.T. Liong & N.P. Shah*

1127 The influence of rainfall on the incidence of microbial faecal indicators and the dominant sources of faecal pollution in a Florida river *S.D. Shehane, V.J. Harwood, J.E. Whitlock & J.B. Rose*

1137 Investigation and application of methods for enumerating heterotrophs and *Escherichia coli* in the air within piggery sheds *H.N. Chinivasagam & P.J. Blackall*

1146 Mode of action of piscicocin CS526 produced by *Carnobacterium piscicola* CS526 *M. Suzuki, T. Yamamoto, Y. Kawai, N. Inoue & K. Yamazaki*

1152 Phosphate removal from the returned liquor of municipal wastewater treatment plant using iron-reducing bacteria *V. Ivanov, V. Stabnikov, W.Q. Zhuang, J.H. Tay & S.T.L. Tay*

1162 Detection of *Escherichia coli* serogroup O103 by real-time polymerase chain reaction *S. Perelle, F. Dilasser, J. Grout & P. Fach*

1169 Characterization of a bacteriocin produced by *Enterococcus faecium* GM-1 isolated from an infant *J.H. Kang & M.S. Lee*

1177 Genetic diversity and safety aspects of enterococci from slightly fermented sausages *B. Martin, M. Garriga, M. Hugas & T. Aymerich*

1191 Engineering of the gut commensal bacterium *Bacteroides ovatus* to produce and secrete biologically active murine interleukin-2 in response to xylan *M.D. Farrar, T.R. Whitehead, J. Lan, P. Dilger, R. Thorpe, K.T. Holland & S.R. Carding*

1198 Diversity, dynamics and activity of bacterial populations in 'Registered Designation of Origin' Salers cheese by single-strand conformation polymorphism analysis of 16S rRNA genes *F. Duthoit, L. Tessier & M.-C. Montel*

1209 Random amplified polymorphic DNA-PCR based cloning of markers to identify the beer-spoilage strains of *Lactobacillus brevis*, *Pediococcus damnosus*, *Lactobacillus collinoides* and *Lactobacillus coryniformis* *T. Fujii, K. Nakashima & N. Hayashi*

1221 Genotypes of *Cryptosporidium* from Sydney water catchment areas *U. Ryan, C. Read, P. Hawkins, M. Warnecke, P. Swanson, M. Griffith, D. Deere, M. Cunningham & P. Cox*

1230 Comparison of three methods of DNA extraction from cold-smoked salmon and impact of physical treatments *S. Giacomazzi, F. Leroi & J.-J. Joffraud*

1239 Intraspecific differences in bacterial responses to modelled reduced gravity *P.W. Baker & L.G. Leff*

1247 Erratum

Volume 98, Issue 6, June 2005

1249 Preface *A. Gilmour*

1250 Treating mastitis in the cow – a tradition or an archaism *J.E. Hillerton & E.A. Berry*

1256 Assessment of cows for use of a nonantimicrobial dry cow product *D. O'Rourke*

1261 Tuberculosis – new light from an old window *S.D. Neill, R.A. Skuce & J.M. Pollock*

1270 Brucellosis – new aspects of an old disease *S.J. Cutler, A.M. Whatmore & N.J. Commander*

1282 Zoonotic potential of *Mycobacterium avium* ssp. *paratuberculosis*: the current position *I.R. Grant*

1294 Frequencies of *PrP* gene haplotypes in British sheep flocks and the implications for breeding programmes *W. Goldmann, M. Baylis, C. Chihota, E. Stevenson & N. Hunter*

1303 Getting better with bifidobacteria *S.C. Leahy, D.G. Higgins, G.F. Fitzgerald & D. van Sinderen*

1316 Microbial solutions to microbial problems; lactococcal bacteriocins for the control of undesirable biota in food *C.M. Guinane, P.D. Cotter, C. Hill & R.P. Ross*

1326 Metabolic models for rational improvement of lactic acid bacteria as cell factories *E.J. Smid, F.J.H. van Enckevort, A. Wegkamp, J. Boekhorst, D. Molenaar, J. Hugenholtz, R.J. Siezen & B. Teusink*

1332 Verotoxigenic *Escherichia coli* from animals, humans and foods: who's who? *J.G. Mainil & G. Daube*

1345 Gastrointestinal phase of *Listeria monocytogenes* infection *C.G.M. Gahan & C. Hill*

1354 Enterically infecting viruses: pathogenicity, transmission and significance for food and waterborne infection *M.J. Carter*

1381 Microbiological aspects of thermally processed foods *J. Gaze*

1387 Microbial inactivation by new technologies of food preservation *P. Mañas & R. Pagán*

1400 Microbiology of pressure-treated foods *M.F. Patterson*

1410 Overcoming the technological hurdles in the development of probiotic foods *R.P. Ross, C. Desmond, G.F. Fitzgerald & C. Stanton*

1418 Index